

**Miele**

# JTM Service Ltd - Miele Professional PDR 307 Vented Evolution Little Giant Tumble Dryer



## PDR 307 [EL]

Professional vented dryer, Little Giants, electrically heated  
with shortest programme running time of 77 min for a high laundry throughput.



- Drum volume 130 l, load size 7 kg
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Precision drying of all standard fabrics – PerfectDry

C

EAN: 4002516413592 / Article number: 52307372GB / Material number: 11693550

| Construction type and version  |                              |
|--|------------------------------|
| Construction type  | Front-loader, stackable      |
| Range  | Evolution                    |
| Front  | Lotus white                  |
| Fascia color   | Stainless steel              |
| Load in kg   | 7                            |
| Drum volume in l   | 130                          |
| Drying system  | Exhaust air                  |
| Door opening [Ø] in mm   | 370                          |
| Door opening angle in degrees  | 167                          |
| Door hinge   | left                         |
| Stainless steel honeycomb drum   | •                            |
| Application  |                              |
| Suitable for the hotel and catering industry   | •                            |
| Suitable for residential homes and apartments  | •                            |
| Suitable for small businesses  | •                            |
| Suitable for universities, nurseries, and schools  | •                            |
| Suitable for camp sites  | •                            |
| Suitable for sports clubs  | •                            |
| Suitable for beauty salons, spas, and fitness centres  | •                            |
| Suitable for domestic use  | •                            |
| Suitable for amusement parks & holiday complexes   | •                            |
| Suitable for state/community care facilities   | •                            |
| Performance data   |                              |
| Maximum evaporation capacity in l/hour   | 2.6                          |
| Specific energy consumption in kWh/kg  | 0.49                         |
| Specific energy consumption for Cottons/Normal drying programme with residual moisture at 48 % in kW             | 0.49                         |
| Specific energy consumption for mixed fibre fabrics/Normal drying programme with residual moisture at 48 % in kW | 0.41                         |
| Programme duration in min.   | 77                           |
| Programme duration for Cottons/Normal drying programme with residual moisture at 48 % in minutes                 | 77                           |
| Programme duration for mixed fibre fabrics/Normal drying programme with residual moisture at 40 % in minutes     | 66                           |
| Control system   |                              |
| Control system   | M Select                     |
| Programmability  | programmable                 |
| User interface   | Residual moisture controlled |
| Max. delay start in h  | 24                           |
| Time left display  | •                            |
| Programme sequence indicator   | •                            |
| Control panel with easy-to-understand symbols  | •                            |
| Language can be selected easily at any time  | •                            |

## PDR 307 [EL]

Professional vented dryer, Little Giants, electrically heated  
with shortest programme running time of 77&nbsp;min for a high laundry throughput.



| Standard/target grp programmes   |                         |
|--|-------------------------|
| Basic programmes   | •                       |
| Standard electrical connection   |                         |
| Heating type   | Electric                |
| Electrical connection  | 220-230V~ 50/60HZ       |
| Electric heater rating in kW   | 2.52-2.76               |
| Total connected load in kW   | 2.76-2.99               |
| Fuse rating in A   | 13                      |
| Dimensions and weight of dryer   |                         |
| External dimensions, height in mm  | 850                     |
| External dimensions, width in mm   | 596                     |
| External dimensions, depth in mm   | 717                     |
| External dimensions, gross height in mm                                      | 940                     |
| External dimensions, gross width in mm                                       | 660                     |
| External dimensions, gross depth in mm                                       | 820                     |
| Net weight in kg   | 49                      |
| Gross weight in kg   | 55                      |
| Maximum floor load in N/m <sup>2</sup>                                       | 920                     |
| Emissions data   |                         |
| Emission sound pressure level in the workplace                               | <lt/>70 dB(A) re 20 µPa |
| Heat dissipation into the room in MJ/h                                       | 0.76                    |
| Features   |                         |
| Intelligent drum reversal  | •                       |
| Axial airflow  | •                       |
| Large-surface filter   | •                       |
| PerfectDry   | •                       |
| SoftLift drum ribs   | •                       |
| Low temperature function   | •                       |
| Drying basket (optional)   | •                       |
| Drum lighting  | •                       |
| Machine-independent accessories  | •                       |
| Efficiency and sustainability  |                         |
| Energy efficiency class  | C                       |
| Annual energy consumption in kWh   | 524                     |
| Noise in dB(a) in the Cottons Normal dry standard programme with a full load | 66                      |
| Duration in minutes in the standard programme                                | 95                      |
| How it works   | Vented                  |
| Load in kg   | 7                       |
| Connection options   |                         |
| Payment system (optional)  | •                       |
| Optical interface for service access   | •                       |
| LAN/WiFi module (optional)   | •                       |
| WiFiConn@ct  | •                       |

PDR 307 [EL]

Professional vented dryer, Little Giants, electrically heated  
with shortest programme running time of 77&nbsp;min for a high laundry throughput.



| Standards, test certificates and symbols     |   |
|--|---|
| CE   | • |
| VDE  | • |
| VDE-EMC                                      | • |
| Splash-proof safety rating IPX4              | • |
| WEEE   | • |
| UKCA   | • |
| Complies with Machinery Directive 2006/42/EC | • |

The Miele Company Limited  
Fairacres  
Marcham Road  
Abingdon  
OX14 1TW

Sales: 0845 365 6636  
Customer Service: 0845 365 6608  
[miele-professional@miele.co.uk](mailto:miele-professional@miele.co.uk)  
[www.miele.co.uk/professional](http://www.miele.co.uk/professional)  
Twitter: @MieleProf

**Professional laundry, dishwashing,  
disinfection and sterilisation equipment.**  
For many years Miele Professional has been  
at the forefront of manufacturing commercial  
laundry, dishwashing, disinfecting and  
sterilisation equipment, bringing you a  
comprehensive selection of machines for  
a wide range of applications. Whatever the  
business sector our commercial range has it  
covered.