Míele

JTM Service - Miele Professional PWM 307 Evolution Little Giant Washing Machine Brochure



Miele

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump with shortest programme running time of 69 min for a high laundry throughput.



- Drum volume 64 I, load size 7 kg
- 22 % less water consumption and
 28 % less energy consumption*
- Tested for intensive use unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Thorough cleaning with standard washing programmes



EAN: 4002516413813 / Article number: 51307172GB / Material number: 11693340

Construction type and version

EAN: 4002516413813 / Article number: 51307172GB / Mate	eriai number: 11693340
Construction type and version	
Construction type	Front-loader, stackable
Range	Evolution
Front	Lotus white
Load in kg	7
Drum volume in I	64
Door opening [Ø] in mm	300
Door opening angle in degrees	167
Door hinge	right
Maintenance-free synchronous motor	•
Honeycomb drum with perforated drum rear panel	•
Application	
Suitable for the hotel and catering industry	•
Suitable for residential homes and apartments	•
Suitable for small businesses	•
Suitable for universities, nurseries, and schools	•
Suitable for camp sites	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for domestic use	•
Suitable for amusement parks & holiday complexes	•
Suitable for state/community care facilities	•
Performance data	
Tested virucidal efficacy	•
Specific water consumption for cold water connection in	7
I/kg Specific energy consumption for cold water connection in	
kWh/kg	0.14
Water consumption with cold water connection in I	49
Energy consumption with cold water connection in kW	0.98
Programme duration in minutes with cold water connection	69
Residual moisture with cold rinse in %	48
Spin speed in rpm	1600
g factor	704
Tested operating hours	30000
Control system	
Control system	M Select
Programmability	programmable
Max. delay start in h	24
Time left display	•
Programme sequence indicator	•
Control panel with easy-to-understand symbols	•
Language can be selected easily at any time	•

Miele

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump with shortest programme running time of 69 min for a high laundry throughput.



Dispensing	
Detergent drawer	3 compartments
CapDosing	•
Standard electrical connection	
Heating type	Electric
Electrical connection	230V~ 50HZ
Heater rating in kW	2.3
Total connected load in kW	2.5
Fuse rating in A	13
Water connection/drainage	
Cold water [number]	1x 1/2" hose w/ 3/4" th. union
Drain pump	DN 22
Dimensions and weight	
External dimensions, height in mm	850
External dimensions, width in mm	596
External dimensions, depth in mm	714
External dimensions, gross height in mm	944
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	768
Net weight in kg	98
Gross weight in kg	102
Maximum floor load in N/m²	2820
Emissions data	
Emission sound pressure level in the workplace	<lt></lt>70 dB(A) re 20 μPa
Heat dissipation into the room in MJ/h	1
Features	
3-dimensional imbalance monitoring	<u>•</u>
Commercial shock absorbers	•
Hard-wearing stainless-steel flange	<u>•</u>
Disinfection rinse	·
EcoSpeed	·
Efficient drum rib technology	•
Temperature monitoring	•
Special heater element	•
Automatic load control	•
Flow meter	•
Add laundry	•
Machine-independent accessories	•

Miele

PWM 307 [EL DP]

Professional washing machine, Little Giants, electric heating, drain pump with shortest programme running time of 69 min for a high laundry throughput.



and the second separation of the second seco		
Efficiency and sustainability		
Load size for the "Eco 40-60" programme in kg	7	
Energy efficiency class (A-G)	А	
Spin efficiency class (A-G)	A	
Weighted energy consumption per 100 cycles in the "Eco 40–60" programme in kWh	45	
Weighted water consumption per cycle in the "Eco 40–60" programme in I	37	
Airborne noise emission rating (spin cycle) (A-D)	A	
Airborne noise emission during spin cycle in dB(A) re 1 pW	72	
Airborne noise emission during spin cycle in dB(A) re 1 pW	199	
Recycling rate in %	95	
Connection options		
Payment system (optional)	•	
Optical interface for service access	•	
WiFiConn@ct	•	
Standards, test certificates and symbols		
CE	•	
VDE-EMC	•	
VDE	•	
Splash-proof safety rating IPX4	•	
WRAS	•	
WEEE	•	
Complies with Machinery Directive 2006/42/EC	•	



The Miele Company Limited Fairacres Marcham Road Abingdon OX14 1TW

Sales: 0845 365 6636

Customer Service: 0845 365 6608 miele-professional@miele.co.uk www.miele.co.uk/professional

Twitter: @MieleProf

Professional laundry, dishwashing, disinfection and sterilisation equipment. For many years Miele Professional has been at the forefront of manufacturing commercial laundry, dishwashing, disinfecting and sterilisation equipment, bringing you a comprehensive selection of machines for a wide range of applications. Whatever the business sector our commercial range has it covered.