

Miele

Miele Professional PWM 935 Washing Machine Brochure



PWM 935 [EL DV DD]

Professional washing machine, electric heating
– freely programmable. 35 kg load size.



- Volume of the honeycomb drum 320 l, maximum load size 35 kg
- 19 % less water consumption and 40 % less energy consumption.
- Short subsequent drying thanks to BoostSpin
- Ideal operation thanks to colour touch display – M Touch Pro Plus
- Connected for the future using LAN and WiFi

EAN: 4002516928393 / Article number: 51935001GB / Material number: 12887510

Construction type and version

Construction type	Front loader
Range	Performance Plus
Front	Stainless steel
Control panel colour	Stainless steel
Load ratio	1:9
Load in kg	35
Drum volume in l	320
Door opening [Ø] in mm	415
Door opening angle in degrees	180
Door hinge	right
Automatic door lock	•
Maintenance-free motor with frequency converter	•
Patented stainless steel honeycomb drum 2.0	•

Application

Suitable for hotels and restaurants	•
Suitable for retirement and care homes	•
Suitable for facility management	•
Suitable for dry cleaners	•
Suitable for commercial laundries	•
Suitable for small businesses	•
Suitable for fire brigades and rescue services	•
Suitable for studs, riding schools and stables	•
Suitable for universities, nurseries, and schools	•
Suitable for hospitals	•
Suitable for camp sites	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for the petrochemicals industry	•
Suitable for the food-processing industry	•
Suitable for amusement parks & holiday complexes	•
Suitable for state/community care facilities	•

PWM 935 [EL DV DD]

Professional washing machine, electric heating
– freely programmable. 35 kg load size.



Performance data	
Tested virucidal efficacy	•
Proven hygiene	•
Specific water consumption for cold water connection in l/kg	7.5
Specific energy consumption for cold water connection in kWh/kg	0.22
Specific water consumption for hot water connection in l/kg	7.5
Specific energy consumption for hot water connection in kWh/kg	0.06
Water consumption with cold water connection in l	262.5
Water consumption for cold water connection in Mops standard 60 °C programme in l	422.3
Energy consumption with cold water connection in kW	7.6
Energy consumption for cold water connection in Mops standard 60 °C programme in kWh	7.95
Programme duration in minutes with cold water connection	61
Water consumption with hot water connection in l	261.6
Water consumption for hot water connection in Mops standard 60 °C programme in l	427.3
Energy consumption with hot water connection in kW	2.16
Energy consumption for hot water connection in Mops standard 60 °C programme in kWh	2.59
Programme duration in minutes with cold water and hot water connection	49
Water consumption in ECO programme with cold water connection in l	242
Energy consumption in ECO programme with cold water	5.3
Programme duration in minutes with cold water connection in ECO programme	41
Water consumption in ECO programme with hot water connection in l	243.6
Energy consumption in ECO programme with hot water	0.76
Programme duration in minutes with cold water and hot water connection in ECO programme	37
Programme running time in minutes for Mops standard 60 °C programme with cold water connection	59
Programme running time in minutes for Mops standard 60 °C programme with hot water connection	49
Residual moisture with cold rinse in %	51
Residual moisture with hot rinse in %	44
Residual moisture when processing cleaning cloths in %	14
Spin speed in rpm	1060
g factor	502
Tested operating hours	30000

PWM 935 [EL DV DD]

Professional washing machine, electric heating
– freely programmable. 35 kg load size.



Control system	
Control system	M Touch Pro Plus
Programmability	Freely programmable
Customer-specific pre-configuration possible	•
Max. delay start in h	Freely selectable
Time left display	•
Programme sequence indicator	•
Selectable display languages	•
Language can be selected easily at any time	•
Option to enter weight prior to start of programme	•
Dispensing	
Detergent drawer	4 compartments
Maximum number of connections for liquid dispenser pumps [number]	12
Empty sensor	•
Standard electrical connection	
Heating type	Electric
Electrical connection	3N AC 400V 50HZ
Heater rating in kW	30
Total connected load in kW	31.6
Fuse rating in A	63
Possible voltage variant 1	
Electrical connection	3N AC 400V 60HZ
Heater rating in kW	30
Total connected load in kW	31.6
Fuse rating in A	63
Water connection/drainage	
Cold water [number]	4 x 1/2" w/ 3/4" union
Hot water [number]	2 x 1/2" w/ 3/4" union
Hard water (optional) [number]	2 x 1/2" w/ 3/4" union
Dump valve	DN 70
Dimensions and weight	
External dimensions, height in mm	1646
External dimensions, width in mm	1090
External dimensions, depth in mm	1275
External dimensions, gross height in mm	1793
External dimensions, gross width in mm	1365
External dimensions, gross depth in mm	1425
Net weight in kg	658
Gross weight in kg	715
Maximum floor load in N	9458
Emissions data	
Emission sound pressure level in the workplace	71 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	6.1

PWM 935 [EL DV DD]

Professional washing machine, electric heating
– freely programmable. 35 kg load size.



Features	
Patented pre-spin	•
Cloth reprocessing	•
Imbalance monitoring	•
3-dimensional imbalance monitoring	•
Disinfection rinse	•
Efficient scoop-and-ladle ribs	•
EcoSpeed	•
BoostSpin	•
Temperature monitoring	•
Automatic load control+	•
Volumetric flow meter (optional)	•
Weighing plinth (optional)	•
Add laundry	•
Programme selection via colour frame	•
Efficient fast spin cycle	•
Emergency switch-off	•
Machine-independent accessories	•
Connection options	
Payment system (optional)	•
Optical interface for service access	•
Peak-load negotiation / energy management (optional)	•
Water recovery (optional)	•
LAN	•
WiFi	•
Connector Box	•
Capacities	
Respirator masks [number]	26
Helmets [number]	10
Overalls [number]	6
Over jackets [number]	9
Chemical protection suits [number]	4
Synthetic duvets [number]	4
Synthetic pillows [number]	8
Down duvets [number]	4
Down pillows [number]	8
Cloths, 22 g [number]	800
Cotton mops, 40 cm / 190 g [number]	184
Cotton mops, 50 cm / 220 g [number]	159
Microfibre mops, 40 cm / 120 g [number]	292
Microfibre mops, 50 cm / 170 g [number]	206
Summer horse blankets [number]	5

PWM 935 [EL DV DD]

Professional washing machine, electric heating

– freely programmable. 35 kg load size.



Standards, test certificates and symbols

CE	•
VDE-EMC	•
VDE	•
Splash-proof safety rating IPX4	•
UKCA	•
WEEE	•
Complies with Machinery Directive 2006/42/EC	•

The Miele Company Limited
Fairacres
Marcham Road
Abingdon
OX14 1TW

Sales: 0845 365 6636
Customer Service: 0845 365 6608
miele-professional@miele.co.uk
www.miele.co.uk/professional
Twitter: @MieleProf

**Professional laundry, dishwashing,
disinfection and sterilisation equipment.**
For many years Miele Professional has been
at the forefront of manufacturing commercial
laundry, dishwashing, disinfecting and
sterilisation equipment, bringing you a
comprehensive selection of machines for
a wide range of applications. Whatever the
business sector our commercial range has it
covered.